

**NAME**

xcb\_xevie\_select\_input -

**SYNOPSIS**

```
#include <xcb/xevie.h>
```

**Request function**

```
xcb_xevie_select_input_cookie_t xcb_xevie_select_input(xcb_connection_t *conn,
    uint32_t event_mask);
```

**Reply datastructure**

```
typedef struct xcb_xevie_select_input_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint8_t pad1[24];
} xcb_xevie_select_input_reply_t;
```

**Reply function**

```
xcb_xevie_select_input_reply_t *xcb_xevie_select_input_reply(xcb_connection_t *conn,
    xcb_xevie_select_input_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*           The XCB connection to X11.

*event\_mask*    TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type* The type of this reply, in this case *XCB\_XEVIE\_SELECT\_INPUT*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*       The sequence number of the last request processed by the X11 server.

*length*         The length of the reply, in words (a word is 4 bytes).

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_xevie\_select\_input\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xevie\_select\_input\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xevie\_select\_input\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xevie.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.