

**NAME**

`xcb_xf86dri_create_drawable` -

**SYNOPSIS**

```
#include <xcb/xf86dri.h>
```

**Request function**

```
xcb_xf86dri_create_drawable_cookie_t xcb_xf86dri_create_drawable(xcb_connection_t *conn,
    uint32_t screen, uint32_t drawable);
```

**Reply datastructure**

```
typedef struct xcb_xf86dri_create_drawable_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t hw_drawable_handle;
} xcb_xf86dri_create_drawable_reply_t;
```

**Reply function**

```
xcb_xf86dri_create_drawable_reply_t *xcb_xf86dri_create_drawable_reply(xcb_connection_t *conn,
    xcb_xf86dri_create_drawable_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*           The XCB connection to X11.

*screen*         TODO: NOT YET DOCUMENTED.

*drawable*       TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type*   The type of this reply, in this case `XCB_XF86DRI_CREATE_DRAWABLE`. This field is also present in the `xcb_generic_reply_t` and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*          The length of the reply, in words (a word is 4 bytes).

*hw\_drawable\_handle*

TODO: NOT YET DOCUMENTED.

## DESCRIPTION

## RETURN VALUE

Returns an *xcb\_xf86dri\_create\_drawable\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xf86dri\_create\_drawable\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xf86dri\_create\_drawable\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xf86dri.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.