

**NAME**

xcb\_xf86dri\_get\_client\_driver\_name -

**SYNOPSIS****#include** <xcb/xf86dri.h>**Request function**

```
xcb_xf86dri_get_client_driver_name_cookie_t
xcb_xf86dri_get_client_driver_name(xcb_connection_t *conn, uint32_t screen);
```

**Reply datastructure**

```
typedef struct xcb_xf86dri_get_client_driver_name_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t client_driver_major_version;
    uint32_t client_driver_minor_version;
    uint32_t client_driver_patch_version;
    uint32_t client_driver_name_len;
    uint8_t pad1[8];
} xcb_xf86dri_get_client_driver_name_reply_t;
```

**Reply function**

```
xcb_xf86dri_get_client_driver_name_reply_t
*xcb_xf86dri_get_client_driver_name_reply(xcb_connection_t *conn,
xcb_xf86dri_get_client_driver_name_cookie_t cookie, xcb_generic_error_t **e);
```

**Reply accessors**

```
char *xcb_xf86dri_get_client_driver_name_client_driver_name(const
xcb_xf86dri_get_client_driver_name_request_t *reply);

int xcb_xf86dri_get_client_driver_name_client_driver_name_length(const
xcb_xf86dri_get_client_driver_name_reply_t *reply);

xcb_generic_iterator_t xcb_xf86dri_get_client_driver_name_client_driver_name_end(const
xcb_xf86dri_get_client_driver_name_reply_t *reply);
```

**REQUEST ARGUMENTS**

xcb\_xf86dri\_get\_client\_driver\_name(3)      XCB Requests      xcb\_xf86dri\_get\_client\_driver\_name(3)

*conn*      The XCB connection to X11.

*screen*      TODO: NOT YET DOCUMENTED.

## REPLY FIELDS

*response\_type*      The type of this reply, in this case *XCB\_XF86DRI\_GET\_CLIENT\_DRIVER\_NAME*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*      The sequence number of the last request processed by the X11 server.

*length*      The length of the reply, in words (a word is 4 bytes).

*client\_driver\_major\_version*  
TODO: NOT YET DOCUMENTED.

*client\_driver\_minor\_version*  
TODO: NOT YET DOCUMENTED.

*client\_driver\_patch\_version*  
TODO: NOT YET DOCUMENTED.

*client\_driver\_name\_len*  
TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_xf86dri\_get\_client\_driver\_name\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xf86dri\_get\_client\_driver\_name\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xf86dri\_get\_client\_driver\_name\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

### AUTHOR

Generated from xf86dri.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.