

**NAME**

xcb\_xfixes\_cursor\_notify\_event\_t -

**SYNOPSIS**

```
#include <xcb/xfixes.h>
```

**Event datastructure**

```
typedef struct xcb_xfixes_cursor_notify_event_t {
    uint8_t    response_type;
    uint8_t    subtype;
    uint16_t   sequence;
    xcb_window_t window;
    uint32_t   cursor_serial;
    xcb_timestamp_t timestamp;
    xcb_atom_t  name;
    uint8_t    pad0[12];
} xcb_xfixes_cursor_notify_event_t;
```

**EVENT FIELDS**

*response\_type* The type of this event, in this case *XCB\_XFIXES\_CURSOR\_NOTIFY*. This field is also present in the *xcb\_generic\_event\_t* and can be used to tell events apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*subtype* NOT YET DOCUMENTED.

*window* NOT YET DOCUMENTED.

*cursor\_serial* NOT YET DOCUMENTED.

*timestamp* NOT YET DOCUMENTED.

*name* NOT YET DOCUMENTED.

**DESCRIPTION****SEE ALSO****AUTHOR**

Generated from xfixes.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.