

NAME

xcb_xfixes_fetch_region -

SYNOPSIS

```
#include <xcb/xfixes.h>
```

Request function

```
xcb_xfixes_fetch_region_cookie_t xcb_xfixes_fetch_region(xcb_connection_t *conn,
    xcb_xfixes_region_t region);
```

Reply datastructure

```
typedef struct xcb_xfixes_fetch_region_reply_t {
    uint8_t      response_type;
    uint8_t      pad0;
    uint16_t     sequence;
    uint32_t     length;
    xcb_rectangle_t extents;
    uint8_t      pad1[16];
} xcb_xfixes_fetch_region_reply_t;
```

Reply function

```
xcb_xfixes_fetch_region_reply_t *xcb_xfixes_fetch_region_reply(xcb_connection_t *conn,
    xcb_xfixes_fetch_region_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
xcb_rectangle_t *xcb_xfixes_fetch_region_rectangles(const xcb_xfixes_fetch_region_request_t
    *reply);
```

```
int xcb_xfixes_fetch_region_rectangles_length(const xcb_xfixes_fetch_region_reply_t *reply);
```

```
xcb_rectangle_iterator_t xcb_xfixes_fetch_region_rectangles_iterator(const
    xcb_xfixes_fetch_region_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

region TODO: NOT YET DOCUMENTED.

REPLY FIELDS

<i>response_type</i>	The type of this reply, in this case <i>XCB_XFIXES_FETCH_REGION</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>extents</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_xfixes_fetch_region_cookie_t*. Errors have to be handled when calling the reply function *xcb_xfixes_fetch_region_reply*.

If you want to handle errors in the event loop instead, use *xcb_xfixes_fetch_region_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xfixes.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.