

NAME

xcb_xfixes_get_client_disconnect_mode -

SYNOPSIS**#include** <xcb/xfixes.h>**Request function**

```
xcb_xfixes_get_client_disconnect_mode_cookie_t
    xcb_xfixes_get_client_disconnect_mode(xcb_connection_t *conn,
```

Reply datastructure

```
typedef struct xcb_xfixes_get_client_disconnect_mode_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t disconnect_mode;
    uint8_t pad1[20];
} xcb_xfixes_get_client_disconnect_mode_reply_t;
```

Reply function

```
xcb_xfixes_get_client_disconnect_mode_reply_t
    *xcb_xfixes_get_client_disconnect_mode_reply(xcb_connection_t *conn,
    xcb_xfixes_get_client_disconnect_mode_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

REPLY FIELDS

response_type The type of this reply, in this case `XCB_XFIXES_GET_CLIENT_DISCONNECT_MODE`. This field is also present in the `xcb_generic_reply_t` and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

disconnect_mode
 The current disconnect mode.

xcb_xfixes_get_client_disconnect_mode(3) XCB Requests xcb_xfixes_get_client_disconnect_mode(3)

DESCRIPTION

RETURN VALUE

Returns an *xcb_xfixes_get_client_disconnect_mode_cookie_t*. Errors have to be handled when calling the reply function *xcb_xfixes_get_client_disconnect_mode_reply*.

If you want to handle errors in the event loop instead, use *xcb_xfixes_get_client_disconnect_mode_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xfixes.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.