

## NAME

xcb\_xfixes\_get\_client\_disconnect\_mode -

## SYNOPSIS

```
#include <xcb/xfixes.h>
```

### Request function

```
xcb_xfixes_get_client_disconnect_mode_cookie_t  
xcb_xfixes_get_client_disconnect_mode(xcb_connection_t *conn,
```

### Reply datastructure

```
typedef struct xcb_xfixes_get_client_disconnect_mode_reply_t {  
    uint8_t response_type;  
    uint8_t pad0;  
    uint16_t sequence;  
    uint32_t length;  
    uint32_t disconnect_mode;  
    uint8_t pad1[20];  
} xcb_xfixes_get_client_disconnect_mode_reply_t;
```

### Reply function

```
xcb_xfixes_get_client_disconnect_mode_reply_t  
*xcb_xfixes_get_client_disconnect_mode_reply(xcb_connection_t *conn,  
xcb_xfixes_get_client_disconnect_mode_cookie_t cookie, xcb_generic_error_t **e);
```

## REQUEST ARGUMENTS

*conn*           The XCB connection to X11.

## REPLY FIELDS

*response\_type*   The type of this reply, in this case  
*XCB\_XFIXES\_GET\_CLIENT\_DISCONNECT\_MODE*. This field is also present in  
the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*           The length of the reply, in words (a word is 4 bytes).

*disconnect\_mode*  
                  TODO: NOT YET DOCUMENTED.

xcb\_xfixes\_get\_client\_disconnect\_mode(3) XCB Requests xcb\_xfixes\_get\_client\_disconnect\_mode(3)

## DESCRIPTION

## RETURN VALUE

Returns an *xcb\_xfixes\_get\_client\_disconnect\_mode\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xfixes\_get\_client\_disconnect\_mode\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xfixes\_get\_client\_disconnect\_mode\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xfixes.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.