

NAME

`xcb_xinerama_get_screen_size` -

SYNOPSIS

```
#include <xcb/xinerama.h>
```

Request function

```
xcb_xinerama_get_screen_size_cookie_t xcb_xinerama_get_screen_size(xcb_connection_t *conn,  
xcb_window_t window, uint32_t screen);
```

Reply datastructure

```
typedef struct xcb_xinerama_get_screen_size_reply_t {  
    uint8_t    response_type;  
    uint8_t    pad0;  
    uint16_t   sequence;  
    uint32_t   length;  
    uint32_t   width;  
    uint32_t   height;  
    xcb_window_t window;  
    uint32_t   screen;  
} xcb_xinerama_get_screen_size_reply_t;
```

Reply function

```
xcb_xinerama_get_screen_size_reply_t  
*xcb_xinerama_get_screen_size_reply(xcb_connection_t *conn,  
xcb_xinerama_get_screen_size_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

window TODO: NOT YET DOCUMENTED.

screen TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_XINERAMA_GET_SCREEN_SIZE*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

width TODO: NOT YET DOCUMENTED.

height TODO: NOT YET DOCUMENTED.

window TODO: NOT YET DOCUMENTED.

screen TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_xinerama_get_screen_size_cookie_t*. Errors have to be handled when calling the reply function *xcb_xinerama_get_screen_size_reply*.

If you want to handle errors in the event loop instead, use *xcb_xinerama_get_screen_size_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xinerama.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.