

NAME

xcb_xkb_bell -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Request function

```
xcb_void_cookie_t xcb_xkb_bell(xcb_connection_t *conn, xcb_xkb_device_spec_t deviceSpec,  
    xcb_xkb_bell_class_spec_t bellClass, xcb_xkb_id_spec_t bellID, int8_t percent,  
    uint8_t forceSound, uint8_t eventOnly, int16_t pitch, int16_t duration, xcb_atom_t name,  
    xcb_window_t window);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>bellClass</i>	TODO: NOT YET DOCUMENTED.
<i>bellID</i>	TODO: NOT YET DOCUMENTED.
<i>percent</i>	TODO: NOT YET DOCUMENTED.
<i>forceSound</i>	TODO: NOT YET DOCUMENTED.
<i>eventOnly</i>	TODO: NOT YET DOCUMENTED.
<i>pitch</i>	TODO: NOT YET DOCUMENTED.
<i>duration</i>	TODO: NOT YET DOCUMENTED.
<i>name</i>	TODO: NOT YET DOCUMENTED.
<i>window</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xkb_bell_checked*. See

xcb-requests(3) for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xkb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.