

**NAME**

xcb\_xkb\_get\_named\_indicator -

**SYNOPSIS**

```
#include <xcb/xkb.h>
```

**Request function**

```
xcb_xkb_get_named_indicator_cookie_t xcb_xkb_get_named_indicator(xcb_connection_t *conn,
    xcb_xkb_device_spec_t deviceSpec, xcb_xkb_led_class_spec_t ledClass,
    xcb_xkb_id_spec_t ledID, xcb_atom_t indicator);
```

**Reply datastructure**

```
typedef struct xcb_xkb_get_named_indicator_reply_t {
    uint8_t response_type;
    uint8_t deviceID;
    uint16_t sequence;
    uint32_t length;
    xcb_atom_t indicator;
    uint8_t found;
    uint8_t on;
    uint8_t realIndicator;
    uint8_t ndx;
    uint8_t map_flags;
    uint8_t map_whichGroups;
    uint8_t map_groups;
    uint8_t map_whichMods;
    uint8_t map_mods;
    uint8_t map_realMods;
    uint16_t map_vmod;
    uint32_t map_ctrls;
    uint8_t supported;
    uint8_t pad0[3];
} xcb_xkb_get_named_indicator_reply_t;
```

**Reply function**

```
xcb_xkb_get_named_indicator_reply_t
    *xcb_xkb_get_named_indicator_reply(xcb_connection_t *conn,
    xcb_xkb_get_named_indicator_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>ledClass</i>	TODO: NOT YET DOCUMENTED.
<i>ledID</i>	TODO: NOT YET DOCUMENTED.
<i>indicator</i>	TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

<i>response_type</i>	The type of this reply, in this case <i>XCB_XKB_GET_NAMED_INDICATOR</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>deviceID</i>	TODO: NOT YET DOCUMENTED.
<i>indicator</i>	TODO: NOT YET DOCUMENTED.
<i>found</i>	TODO: NOT YET DOCUMENTED.
<i>on</i>	TODO: NOT YET DOCUMENTED.
<i>realIndicator</i>	TODO: NOT YET DOCUMENTED.
<i>ndx</i>	TODO: NOT YET DOCUMENTED.
<i>map_flags</i>	TODO: NOT YET DOCUMENTED.
<i>map_whichGroups</i>	TODO: NOT YET DOCUMENTED.
<i>map_groups</i>	TODO: NOT YET DOCUMENTED.
<i>map_whichMods</i>	

TODO: NOT YET DOCUMENTED.

*map\_mods* TODO: NOT YET DOCUMENTED.

*map\_realMods* TODO: NOT YET DOCUMENTED.

*map\_vmod* TODO: NOT YET DOCUMENTED.

*map\_ctrls* TODO: NOT YET DOCUMENTED.

*supported* TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_xkb\_get\_named\_indicator\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xkb\_get\_named\_indicator\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xkb\_get\_named\_indicator\_unchecked*. See **xcb-requests(3)** for details.

### ERRORS

This request does never generate any errors.

### SEE ALSO

### AUTHOR

Generated from xkb.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.