

**NAME**

`xcb_xkb_get_named_indicator` -

**SYNOPSIS**

```
#include <xcb/xkb.h>
```

**Request function**

```
xcb_xkb_get_named_indicator_cookie_t xcb_xkb_get_named_indicator(xcb_connection_t *conn,
    xcb_xkb_device_spec_t deviceSpec, xcb_xkb_led_class_spec_t ledClass,
    xcb_xkb_id_spec_t ledID, xcb_atom_t indicator);
```

**Reply datastructure**

```
typedef struct xcb_xkb_get_named_indicator_reply_t {
    uint8_t  response_type;
    uint8_t  deviceID;
    uint16_t sequence;
    uint32_t length;
    xcb_atom_t indicator;
    uint8_t  found;
    uint8_t  on;
    uint8_t  realIndicator;
    uint8_t  ndx;
    uint8_t  map_flags;
    uint8_t  map_whichGroups;
    uint8_t  map_groups;
    uint8_t  map_whichMods;
    uint8_t  map_mods;
    uint8_t  map_realMods;
    uint16_t map_vmod;
    uint32_t map_ctrls;
    uint8_t  supported;
    uint8_t  pad0[3];
} xcb_xkb_get_named_indicator_reply_t;
```

**Reply function**

```
xcb_xkb_get_named_indicator_reply_t
    *xcb_xkb_get_named_indicator_reply(xcb_connection_t *conn,
    xcb_xkb_get_named_indicator_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

- conn* The XCB connection to X11.
- deviceSpec* TODO: NOT YET DOCUMENTED.
- ledClass* TODO: NOT YET DOCUMENTED.
- ledID* TODO: NOT YET DOCUMENTED.
- indicator* TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

- response\_type* The type of this reply, in this case *XCB\_XKB\_GET\_NAMED\_INDICATOR*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.
- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- deviceID* TODO: NOT YET DOCUMENTED.
- indicator* TODO: NOT YET DOCUMENTED.
- found* TODO: NOT YET DOCUMENTED.
- on* TODO: NOT YET DOCUMENTED.
- realIndicator* TODO: NOT YET DOCUMENTED.
- ndx* TODO: NOT YET DOCUMENTED.
- map\_flags* TODO: NOT YET DOCUMENTED.
- map\_whichGroups*  
TODO: NOT YET DOCUMENTED.
- map\_groups* TODO: NOT YET DOCUMENTED.
- map\_whichMods*

TODO: NOT YET DOCUMENTED.

*map\_mods* TODO: NOT YET DOCUMENTED.

*map\_realMods* TODO: NOT YET DOCUMENTED.

*map\_vmod* TODO: NOT YET DOCUMENTED.

*map\_ctrls* TODO: NOT YET DOCUMENTED.

*supported* TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_xkb\_get\_named\_indicator\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xkb\_get\_named\_indicator\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xkb\_get\_named\_indicator\_unchecked*.

See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xcb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.