

NAME

xcb_xkb_latch_lock_state -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Request function

```
xcb_void_cookie_t xcb_xkb_latch_lock_state(xcb_connection_t *conn,
      xcb_xkb_device_spec_t deviceSpec, uint8_t affectModLocks, uint8_t modLocks,
      uint8_t lockGroup, uint8_t groupLock, uint8_t affectModLatches, uint8_t latchGroup,
      uint16_t groupLatch);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

deviceSpec TODO: NOT YET DOCUMENTED.

affectModLocks
 TODO: NOT YET DOCUMENTED.

modLocks TODO: NOT YET DOCUMENTED.

lockGroup TODO: NOT YET DOCUMENTED.

groupLock TODO: NOT YET DOCUMENTED.

affectModLatches
 TODO: NOT YET DOCUMENTED.

latchGroup TODO: NOT YET DOCUMENTED.

groupLatch TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xkb_latch_lock_state_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xkb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.