

**NAME**

xcb\_xkb\_select\_events -

**SYNOPSIS**

```
#include <xcb/xkb.h>
```

**Request function**

```
xcb_void_cookie_t xcb_xkb_select_events(xcb_connection_t *conn,  
    xcb_xkb_device_spec_t deviceSpec, uint16_t affectWhich, uint16_t clear, uint16_t selectAll,  
    uint16_t affectMap, uint16_t map, const void *details);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>affectWhich</i>	TODO: NOT YET DOCUMENTED.
<i>clear</i>	TODO: NOT YET DOCUMENTED.
<i>selectAll</i>	TODO: NOT YET DOCUMENTED.
<i>affectMap</i>	TODO: NOT YET DOCUMENTED.
<i>map</i>	TODO: NOT YET DOCUMENTED.
<i>details</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_xkb\_select\_events\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from xkb.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.