

NAME

xcb_xkb_select_events -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Request function

```
xcb_void_cookie_t xcb_xkb_select_events(xcb_connection_t *conn,  
    xcb_xkb_device_spec_t deviceSpec, uint16_t affectWhich, uint16_t clear, uint16_t selectAll,  
    uint16_t affectMap, uint16_t map, const void *details);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>affectWhich</i>	TODO: NOT YET DOCUMENTED.
<i>clear</i>	TODO: NOT YET DOCUMENTED.
<i>selectAll</i>	TODO: NOT YET DOCUMENTED.
<i>affectMap</i>	TODO: NOT YET DOCUMENTED.
<i>map</i>	TODO: NOT YET DOCUMENTED.
<i>details</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xkb_select_events_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xkb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.