

NAME

xcb_xkb_set_device_info -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Request function

```
xcb_void_cookie_t xcb_xkb_set_device_info(xcb_connection_t *conn,  
    xcb_xkb_device_spec_t deviceSpec, uint8_t firstBtn, uint8_t nBtns, uint16_t change,  
    uint16_t nDeviceLeds, const xcb_xkb_action_t *btnActions, const  
    xcb_xkb_device_led_info_t *leds);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>firstBtn</i>	TODO: NOT YET DOCUMENTED.
<i>nBtns</i>	TODO: NOT YET DOCUMENTED.
<i>change</i>	TODO: NOT YET DOCUMENTED.
<i>nDeviceLeds</i>	TODO: NOT YET DOCUMENTED.
<i>btnActions</i>	TODO: NOT YET DOCUMENTED.
<i>leds</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xkb_set_device_info_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xkb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.