

**NAME**

xcb\_xkb\_set\_names -

**SYNOPSIS**

```
#include <xcb/xkb.h>
```

**Request function**

```
xcb_void_cookie_t xcb_xkb_set_names(xcb_connection_t *conn, xcb_xkb_device_spec_t deviceSpec,
    uint16_t virtualMods, uint32_t which, uint8_t firstType, uint8_t nTypes, uint8_t firstKLevel,
    uint8_t nKLevels, uint32_t indicators, uint8_t groupNames, uint8_t nRadioGroups,
    xcb_keycode_t firstKey, uint8_t nKeys, uint8_t nKeyAliases, uint16_t totalKLevelNames, const
    void *values);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>deviceSpec</i>	TODO: NOT YET DOCUMENTED.
<i>virtualMods</i>	TODO: NOT YET DOCUMENTED.
<i>which</i>	TODO: NOT YET DOCUMENTED.
<i>firstType</i>	TODO: NOT YET DOCUMENTED.
<i>nTypes</i>	TODO: NOT YET DOCUMENTED.
<i>firstKLevel</i>	TODO: NOT YET DOCUMENTED.
<i>nKLevels</i>	TODO: NOT YET DOCUMENTED.
<i>indicators</i>	TODO: NOT YET DOCUMENTED.
<i>groupNames</i>	TODO: NOT YET DOCUMENTED.
<i>nRadioGroups</i>	TODO: NOT YET DOCUMENTED.
<i>firstKey</i>	TODO: NOT YET DOCUMENTED.
<i>nKeys</i>	TODO: NOT YET DOCUMENTED.

*nKeyAliases*    TODO: NOT YET DOCUMENTED.

*totalKTLevelNames*  
                  TODO: NOT YET DOCUMENTED.

*values*            TODO: NOT YET DOCUMENTED.

## **DESCRIPTION**

### **RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_xkb\_set\_names\_checked*. See **xcb-requests(3)** for details.

### **ERRORS**

This request does never generate any errors.

### **SEE ALSO**

### **AUTHOR**

Generated from xkb.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.