

NAME

`xcb_xv_get_still` -

SYNOPSIS

```
#include <xcb/xv.h>
```

Request function

```
xcb_void_cookie_t xcb_xv_get_still(xcb_connection_t *conn, xcb_xv_port_t port,
                                     xcb_drawable_t drawable, xcb_gcontext_t gc, int16_t vid_x, int16_t vid_y, uint16_t vid_w,
                                     uint16_t vid_h, int16_t drw_x, int16_t drw_y, uint16_t drw_w, uint16_t drw_h);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

port TODO: NOT YET DOCUMENTED.

drawable TODO: NOT YET DOCUMENTED.

gc TODO: NOT YET DOCUMENTED.

vid_x TODO: NOT YET DOCUMENTED.

vid_y TODO: NOT YET DOCUMENTED.

vid_w TODO: NOT YET DOCUMENTED.

vid_h TODO: NOT YET DOCUMENTED.

drw_x TODO: NOT YET DOCUMENTED.

drw_y TODO: NOT YET DOCUMENTED.

drw_w TODO: NOT YET DOCUMENTED.

drw_h TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an `xcb_void_cookie_t`. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xv_get_still_checked*.
See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xv.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.