

NAME

xcb_xv_put_still -

SYNOPSIS

```
#include <xcb/xv.h>
```

Request function

```
xcb_void_cookie_t xcb_xv_put_still(xcb_connection_t *conn, xcb_xv_port_t port,  
    xcb_drawable_t drawable, xcb_gcontext_t gc, int16_t vid_x, int16_t vid_y, uint16_t vid_w,  
    uint16_t vid_h, int16_t drw_x, int16_t drw_y, uint16_t drw_w, uint16_t drw_h);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>port</i>	TODO: NOT YET DOCUMENTED.
<i>drawable</i>	TODO: NOT YET DOCUMENTED.
<i>gc</i>	TODO: NOT YET DOCUMENTED.
<i>vid_x</i>	TODO: NOT YET DOCUMENTED.
<i>vid_y</i>	TODO: NOT YET DOCUMENTED.
<i>vid_w</i>	TODO: NOT YET DOCUMENTED.
<i>vid_h</i>	TODO: NOT YET DOCUMENTED.
<i>drw_x</i>	TODO: NOT YET DOCUMENTED.
<i>drw_y</i>	TODO: NOT YET DOCUMENTED.
<i>drw_w</i>	TODO: NOT YET DOCUMENTED.
<i>drw_h</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_xv_put_still_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xv.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.