

`xcb_xv_query_best_size(3)`

XCB Requests

`xcb_xv_query_best_size(3)`

NAME

`xcb_xv_query_best_size` -

SYNOPSIS

```
#include <xcb/xv.h>
```

Request function

```
xcb_xv_query_best_size_cookie_t xcb_xv_query_best_size(xcb_connection_t *conn,  
                  xcb_xv_port_t port, uint16_t vid_w, uint16_t vid_h, uint16_t drw_w, uint16_t drw_h,  
                  uint8_t motion);
```

Reply datastructure

```
typedef struct xcb_xv_query_best_size_reply_t {  
    uint8_t response_type;  
    uint8_t pad0;  
    uint16_t sequence;  
    uint32_t length;  
    uint16_t actual_width;  
    uint16_t actual_height;  
} xcb_xv_query_best_size_reply_t;
```

Reply function

```
xcb_xv_query_best_size_reply_t *xcb_xv_query_best_size_reply(xcb_connection_t *conn,  
                          xcb_xv_query_best_size_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

port TODO: NOT YET DOCUMENTED.

vid_w TODO: NOT YET DOCUMENTED.

vid_h TODO: NOT YET DOCUMENTED.

drw_w TODO: NOT YET DOCUMENTED.

drw_h TODO: NOT YET DOCUMENTED.

motion TODO: NOT YET DOCUMENTED.

REPLY FIELDS

- response_type* The type of this reply, in this case *XCB_XV_QUERY_BEST_SIZE*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.
- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- actual_width* TODO: NOT YET DOCUMENTED.
- actual_height* TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_xv_query_best_size_cookie_t*. Errors have to be handled when calling the reply function *xcb_xv_query_best_size_reply*.

If you want to handle errors in the event loop instead, use *xcb_xv_query_best_size_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xv.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.