

**NAME**

xcb\_xvnc\_create\_subpicture -

**SYNOPSIS**

```
#include <xcb/xvnc.h>
```

**Request function**

```
xcb_xvnc_create_subpicture_cookie_t xcb_xvnc_create_subpicture(xcb_connection_t *conn,
    xcb_xvnc_subpicture_t subpicture_id, xcb_xvnc_context_t context, uint32_t xvimage_id,
    uint16_t width, uint16_t height);
```

**Reply datastructure**

```
typedef struct xcb_xvnc_create_subpicture_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint16_t width_actual;
    uint16_t height_actual;
    uint16_t num_palette_entries;
    uint16_t entry_bytes;
    uint8_t component_order[4];
    uint8_t pad1[12];
} xcb_xvnc_create_subpicture_reply_t;
```

**Reply function**

```
xcb_xvnc_create_subpicture_reply_t *xcb_xvnc_create_subpicture_reply(xcb_connection_t *conn,
    xcb_xvnc_create_subpicture_cookie_t cookie, xcb_generic_error_t **e);
```

**Reply accessors**

```
uint32_t *xcb_xvnc_create_subpicture_priv_data(const xcb_xvnc_create_subpicture_request_t
    *reply);
```

```
int xcb_xvnc_create_subpicture_priv_data_length(const xcb_xvnc_create_subpicture_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_xvnc_create_subpicture_priv_data_end(const
    xcb_xvnc_create_subpicture_reply_t *reply);
```

**REQUEST ARGUMENTS**

|                      |                            |
|----------------------|----------------------------|
| <i>conn</i>          | The XCB connection to X11. |
| <i>subpicture_id</i> | TODO: NOT YET DOCUMENTED.  |
| <i>context</i>       | TODO: NOT YET DOCUMENTED.  |
| <i>xvimage_id</i>    | TODO: NOT YET DOCUMENTED.  |
| <i>width</i>         | TODO: NOT YET DOCUMENTED.  |
| <i>height</i>        | TODO: NOT YET DOCUMENTED.  |

**REPLY FIELDS**

|                            |  |
|----------------------------|--|
| <i>response_type</i>       | The type of this reply, in this case <i>XCB_XVMC_CREATE_SUBPICTURE</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other. |
| <i>sequence</i>            | The sequence number of the last request processed by the X11 server.   |
| <i>length</i>              | The length of the reply, in words (a word is 4 bytes).   |
| <i>width_actual</i>        | TODO: NOT YET DOCUMENTED.  |
| <i>height_actual</i>       | TODO: NOT YET DOCUMENTED.  |
| <i>num_palette_entries</i> | TODO: NOT YET DOCUMENTED.  |
| <i>entry_bytes</i>         | TODO: NOT YET DOCUMENTED.  |
| <i>component_order</i>     | TODO: NOT YET DOCUMENTED.  |

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_xvmc\_create\_subpicture\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_xvmc\_create\_subpicture\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_xvmc\_create\_subpicture\_unchecked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO**

**AUTHOR**

Generated from xvmc.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.