

NAME

xcb_xvnc_create_surface -

SYNOPSIS

```
#include <xcb/xvnc.h>
```

Request function

```
xcb_xvnc_create_surface_cookie_t xcb_xvnc_create_surface(xcb_connection_t *conn,
    xcb_xvnc_surface_t surface_id, xcb_xvnc_context_t context_id);
```

Reply datastructure

```
typedef struct xcb_xvnc_create_surface_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint8_t pad1[24];
} xcb_xvnc_create_surface_reply_t;
```

Reply function

```
xcb_xvnc_create_surface_reply_t *xcb_xvnc_create_surface_reply(xcb_connection_t *conn,
    xcb_xvnc_create_surface_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
uint32_t *xcb_xvnc_create_surface_priv_data(const xcb_xvnc_create_surface_request_t *reply);

int xcb_xvnc_create_surface_priv_data_length(const xcb_xvnc_create_surface_reply_t *reply);

xcb_generic_iterator_t xcb_xvnc_create_surface_priv_data_end(const
    xcb_xvnc_create_surface_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

surface_id TODO: NOT YET DOCUMENTED.

context_id TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_XVNC_CREATE_SURFACE*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

DESCRIPTION

RETURN VALUE

Returns an *xcb_xvnc_create_surface_cookie_t*. Errors have to be handled when calling the reply function *xcb_xvnc_create_surface_reply*.

If you want to handle errors in the event loop instead, use *xcb_xvnc_create_surface_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xvnc.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.