

**NAME**

xkbcomp - compile XKB keyboard description

**SYNOPSIS**

**xkbcomp** [option] source [ destination ]

**DESCRIPTION**

The *xkbcomp* keymap compiler converts a description of an XKB keymap into one of several output formats. The most common use for *xkbcomp* is to create a compiled keymap file (*.xkm* extension) which can be read directly by XKB-capable X servers or utilities. The keymap compiler can also produce C header files or XKB source files. The C header files produced by *xkbcomp* can be included by X servers or utilities that need a built-in default keymap. The XKB source files produced by *xkbcomp* are fully resolved and can be used to verify that the files which typically make up an XKB keymap are merged correctly or to create a single file which contains a complete description of the keymap.

The *source* may specify an X display, or an *.xkb* or *.xkm* file; unless explicitly specified, the format of *destination* depends on the format of the source. Compiling a *.xkb* (keymap source) file generates a *.xkm* (compiled keymap file) by default. If the source is a *.xkm* file or an X display, *xkbcomp* generates a keymap source file by default.

If the *destination* is an X display, the keymap for the display is updated with the compiled keymap.

The name of the *destination* is usually computed from the name of the source, with the extension replaced as appropriate. When compiling a single map from a file which contains several maps, *xkbcomp* constructs the destination file name by appending an appropriate extension to the name of the map to be used.

**OPTIONS**

- a** Show all keyboard information, reporting implicit or derived information as a comment. Only affects *.xkb* format output.
- C** Produce a C header file as output (*.h* extension).
- dfits** Compute defaults for any missing components, such as key names.
- em1** *msg*  
Print *msg* before printing first error message.
- emp** *msg*

Print *msg* at the start of each message line.

**-eml** *msg* If there were any errors, print *msg* before exiting.

**-help, -?** Show available options.

**-I***dir* Specifies top-level directories to be searched for files included by the keymap description. After all directories specified by -I options have been searched, the current directory and finally, the default xkb directory /usr/local/share/X11/xkb will be searched.

To prevent the current and default directories from being searched, use the -I option alone (i.e. without a directory), before any -I options that specify the directories you do want searched.

**-i** *deviceid*

If *source* or *destination* is a valid X display, load the keymap from/into the device with the specified ID (not name).

**-l** List maps that specify the *map* pattern in any files listed on the command line (not implemented yet).

**-m** *name* Specifies a map to be compiled from an file with multiple entries.

**-merge** Merge the compiled information with the map from the server (not implemented yet).

**-o** *name* Specifies a name for the generated output file. The default is the name of the source file with an appropriate extension for the output format.

**-opt** *parts*

Specifies a list of optional parts. Compilation errors in any optional parts are not fatal. Parts may consist of any combination of the letters *c, g,k,s,t* which specify the compatibility map, geometry, keycodes, symbols and types, respectively.

**-Rdir** Specifies the root directory for relative path names.

**-synch** Force synchronization for X requests.

**-version** Print version number.

**-w** *lvl* Controls the reporting of warnings during compilation. A warning level of 0 disables all

warnings; a warning level of 10 enables them all.

**-xkb** Generate a source description of the keyboard as output (.xkb extension).

**-xkm** Generate a compiled keymap file as output (.xkm extension).

## SEE ALSO

X(7)

## COPYRIGHT

Copyright 1994, Silicon Graphics Computer Systems and X Consortium, Inc.

See X(7) for a full statement of rights and permissions.

## AUTHOR

Erik Fortune, Silicon Graphics