

**NAME**

xcb\_randr\_set\_crtc\_config -

**SYNOPSIS**

```
#include <xcb/randr.h>
```

**Request function**

```
xcb_randr_set_crtc_config_cookie_t xcb_randr_set_crtc_config(xcb_connection_t *conn,
    xcb_randr_crtc_t crtc, xcb_timestamp_t timestamp, xcb_timestamp_t config_timestamp, int16_t x,
    int16_t y, xcb_randr_mode_t mode, uint16_t rotation, uint32_t outputs_len, const
    xcb_randr_output_t *outputs);
```

**Reply datastructure**

```
typedef struct xcb_randr_set_crtc_config_reply_t {
    uint8_t    response_type;
    uint8_t    status;
    uint16_t   sequence;
    uint32_t   length;
    xcb_timestamp_t timestamp;
    uint8_t    pad0[20];
} xcb_randr_set_crtc_config_reply_t;
```

**Reply function**

```
xcb_randr_set_crtc_config_reply_t *xcb_randr_set_crtc_config_reply(xcb_connection_t *conn,
    xcb_randr_set_crtc_config_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>crtc</i>	TODO: NOT YET DOCUMENTED.
<i>timestamp</i>	TODO: NOT YET DOCUMENTED.
<i>config_timestamp</i>	TODO: NOT YET DOCUMENTED.
<i>x</i>	TODO: NOT YET DOCUMENTED.
<i>y</i>	TODO: NOT YET DOCUMENTED.

<i>mode</i>	TODO: NOT YET DOCUMENTED.
<i>rotation</i>	TODO: NOT YET DOCUMENTED.
<i>outputs_len</i>	TODO: NOT YET DOCUMENTED.
<i>outputs</i>	TODO: NOT YET DOCUMENTED.

## REPLY FIELDS

<i>response_type</i>	The type of this reply, in this case <i>XCB_RANDR_SET_CRTC_CONFIG</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>status</i>	TODO: NOT YET DOCUMENTED.
<i>timestamp</i>	TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_randr\_set\_crtc\_config\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_randr\_set\_crtc\_config\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_randr\_set\_crtc\_config\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

### AUTHOR

Generated from randr.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.